

GC/MS BATCH NUMBER: CA3100

ESSENTIAL OIL: CARDAMOM
BOTANICAL NAME: Elettaria cardamomum
ORIGIN: GUATEMALA

KEY CONSTITUENTS PRESENT IN THIS BATCH OF CARDAMOM OIL	%
α -TERPINYL ACETATE	37.6
1,8-CINEOLE	30.7
LINALYL ACETATE	5.4
SABINENE	5.0
LINALOOL	4.4
LIMONENE	2.4
MYRCENE	2.1
α -TERPINEOL	1.9
α -PINENE	1.8
(E)-NEROLIDOL	1.1

Comments from Robert Tisserand: Fresh and spicy, Cardamon has a low cineole content compared with some essential oils. Of the 11 key ISO constituents, terpinen-4-ol is very slightly below range, which not a concern.

Date : January 4, 2016

SAMPLE IDENTIFICATION

Internal code : 15L14-PTH4-1-LC

Customer identification : Cardamom - Guatemala - CA310043R

Type : Essential oil

Source : *Elettaria cardamomum*

Customer : Plant Therapy

ANALYSIS

Method : PC-PA-001-15E06, "Analysis of the composition of a liquid essential oil by GC-FID" (in French).

Analyst : Alexis St-Gelais, M. Sc., chimiste

Analysis date : 2016-01-03

Checked and approved by :



Alexis St-Gelais, M. Sc., chimiste 2013-174

Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.

This report is digitally signed, it is only considered valid if the digital signature is intact.

IDENTIFIED COMPOUNDS

Identification	Column: BP5			Column: WAX			Molecular Class
	R.T.	R.I.	%	%	R.I.	R.T.	
Isovaleral	0.51	561	0.02	0.02	782	0.57	Aliphatic aldehyde
2-Methylbutyral	0.53	569	0.01	0.01	764	0.56	Aliphatic aldehyde
α -Thujene	2.68	915	0.23	0.23	958	1.03	Monoterpene
α -Pinene	2.77	921	1.82	1.81	948	0.99	Monoterpene
Camphene	3.02*	937	0.04	0.01	994	1.19	Monoterpene
α -Fenchene	3.02*	937	[0.04]	tr	988	1.16	Monoterpene
Sabinene	3.45	965	4.99	5.05	1065	1.76	Monoterpene
β -Pinene	3.49	968	0.43	0.41	1043	1.57	Monoterpene
Myrcene	3.79	988	2.12	2.09	1122	2.31	Monoterpene
6-Methyl-5-hepten-2-one	3.86	992	0.03	0.02	1291	4.53	Aliphatic ketone
Δ 3-Carene	4.02	1002	0.01	tr	1095	2.01	Monoterpene
Octanal	4.15	1010	0.17	0.16	1243	3.85	Aliphatic aldehyde
α -Terpinene	4.20	1013	0.06	0.06	1126	2.35	Monoterpene
1,8-Cineole	4.53*	1032	32.83	30.73	1158	2.74	Monoterp. ether
para-Cymene	4.53*	1032	[32.83]	0.18	1216	3.48	Monoterpene
Limonene	4.53*	1032	[32.83]	2.39	1146	2.60	Monoterpene
<i>cis</i> - β -Ocimene	4.62	1037	0.10	0.18	1194	3.17*	Monoterpene
<i>trans</i> - β -Ocimene	4.79	1047	0.05	0.05	1209	3.38	Monoterpene
γ -Terpinene	4.95	1056	0.16	[0.18]	1194	3.17*	Monoterpene
<i>cis</i> -Linalool oxide (fur.)	5.23	1073	0.01	0.01	1395	6.07	Monoterp. alcohol
<i>cis</i> -Sabinene hydrate	5.28	1075	0.50	0.52	1418	6.51	Monoterp. alcohol
Terpinolene	5.40	1083	0.06	0.07	1228	3.64	Monoterpene
Octanol	5.44	1085	0.04	0.02	1509	8.43	Aliphatic alcohol
6,7-Epoxyterpinene	5.64	1097	0.04	0.04	1363	5.60	Monoterp. ether
Linalool	5.90	1109	4.44	9.52	1514	8.60†	Monoterp. alcohol
<i>trans</i> -Sabinene hydrate	5.96	1112	0.15	0.28	1499	8.15	Monoterp. alcohol
endo-Fenchol	6.24	1125	0.03	0.05	1517	8.68	Monoterp. alcohol
Borneol	7.33*	1175	0.11	0.13	1633	12.89*	Monoterp. alcohol
δ -Terpineol	7.33*	1175	[0.11]	0.42	1611	11.85*	Monoterp. alcohol
Terpinen-4-ol	7.46	1181	0.63	0.64	1538	9.38	Monoterp. alcohol
α -Terpineol	8.02	1204	1.88	1.87	1636	13.03	Monoterp. alcohol
γ -Terpineol	8.32	1212	0.68	37.45	1631	12.78*	Monoterp. alcohol
<i>trans</i> -Piperitol	8.39	1214	0.10	0.08	1679	15.04	Monoterp. alcohol
Neral	9.34	1240	0.34	[0.42]	1611	11.85*	Monoterp. aldehyde
Linalyl acetate	9.64	1248	5.42	[9.52]	1513	8.56†	Monoterp. ester
Geraniol	9.96	1257	0.95	1.02	1798	21.91	Monoterp. alcohol
Geranial	10.57	1273	0.54	0.53	1659	14.10	Monoterp. aldehyde
Terpinen-4-yl acetate	11.34	1294	0.01				Monoterp. ester
δ -Terpinyl acetate	12.11	1310	0.11	0.10	1580	10.71	Monoterp. ester
α -Terpinyl acetate	14.24	1347	37.55	[37.45]	1631	12.78*	Monoterp. ester
Geranyl acetate	16.26	1383	0.57	0.51	1702	16.14	Monoterp. ester

β -Caryophyllene	17.10	1398	0.02	0.02	1525	8.97	Sesquiterpene
β -Selinene	22.04	1463	0.17	[37.45]	1631	12.78*	Sesquiterpene
α -Selinene	22.63	1471	0.08	[0.13]	1633	12.89*	Sesquiterpene
γ -Cadinene	24.31	1493	0.05	0.05	1665	14.39	Sesquiterpene
Germacrene B	27.37	1530	0.04	0.04	1718	17.09	Sesquiterpene
(<i>E</i>)-Nerolidol	30.09	1563	1.09	1.04	1993	34.92	Sesquiterp. alcohol
(2 <i>E</i> ,6 <i>E</i>)-Farnesol	38.71	1719	0.20	0.23	2296	43.88	Sesquiterp. alcohol
(2 <i>E</i> ,6 <i>E</i>)-Farnesyl acetate	42.44	1835	0.06	0.07	2195	41.47	Sesquiterp. ester
Total identified			98.94%	98.11%			

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

Note: no correction factor was applied

OTHER DATA

Physical aspect : Clear liquid

Refractive index : 1.4632 ± 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent were detected using this method.



