

Date : October 09, 2019

CERTIFICATE OF ANALYSIS – GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 19J08-PTH06-1-SCC

Customer identification : Cedarwood Himalayan - India - C5010687R

Type : Essential oil

Source : *Cedrus deodara*

Customer : Plant Therapy

ANALYSIS

Method: PC-PA-014 - Analysis of the composition of an essential oil, or other volatile liquid, by FAST GC-FID (in French); identifications validated by GC-MS.

Analyst : Sylvain Mercier, M. Sc., Chimiste

Analysis date : October 09, 2019

Checked and approved by :



Alexis St-Gelais, M. Sc., chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

PHYSICOCHEMICAL DATA

Physical aspect: Yellow viscous liquid

Refractive index: 1.5139 ± 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY – CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Classe
Mesityl oxide	0.02	Aliphatic ketone
α -Pinene	0.04	Monoterpene
Camphene	0.01	Monoterpene
β -Pinene	0.02	Monoterpene
para-Cymene	0.01	Monoterpene
Limonene	0.02	Monoterpene
Terpinolene	tr	Monoterpene
para-Cymenene	0.01	Monoterpene
para-Cresol	0.01	Simple phenolic
Limona ketone	0.48	Normonoterpenic ketone
α ,4-Dimethyl-3-cyclohexene-1-methanol	0.03	Normonoterpenic alcohol
α ,4-Dimethyl-3-cyclohexene-1-methanol epimer	0.03	Normonoterpenic alcohol
Borneol	0.01	Monoterpenic alcohol
Terpinen-4-ol	0.10	Monoterpenic alcohol
α -Terpineol	0.04	Monoterpenic alcohol
Unknown	tr	Unknown
α -Longipinene	0.11	Sesquiterpene
α -Ylangene	0.06	Sesquiterpene
Unknown	0.02	Terpene derivative
Unknown	0.02	Terpene derivative
Unknown	0.13	Sesquiterpene
Sativene	0.12	Sesquiterpene
Unknown	0.20	Sesquiterpene
Sibirene	0.04	Sesquiterpene
Longifolene	0.73	Sesquiterpene
(Z?)-Vestitenone, or analog	0.16	Terpenic ketone
Unknown	0.04	Unknown
Himachala-2,4-diene	0.10	Sesquiterpene
Unknown	0.50	Sesquiterpene
Unknown	0.29	Sesquiterpene
<i>trans</i> - α -Bergamotene	0.13	Sesquiterpene
Himachala-2,4-diene isomer	0.16	Sesquiterpene
α -Himachalene	14.76	Sesquiterpene
(E)-Vestitenone	0.66	Terpenic ketone
Unknown	0.24	Sesquiterpene
(E)- β -Farnesene	0.21	Sesquiterpene
Unknown	0.32	Sesquiterpene
Unknown	0.57	Sesquiterpene
γ -Himachalene	8.94	Sesquiterpene
11- α H-Himachala-1,4-diene	1.72	Sesquiterpene
Unknown	0.19	Sesquiterpenic ether
β -Himachalene	36.85	Sesquiterpene
(Z)- α -Bisabolene	0.04	Sesquiterpene
Cycloisolongifol-5-ol	0.10	Sesquiterpenic alcohol
α -Dehydro-ar-himachalene	0.48	Sesquiterpene
<i>trans</i> -Calamenene	0.06	Sesquiterpene

γ -Dehydro-ar-himachalene	0.49	Sesquiterpene
Unknown	0.49	Sesquiterpene
ar-Himachalene	0.26	Sesquiterpene
α -Calacorene	0.14	Sesquiterpene
(<i>E</i>)- α -Bisabolene	1.12	Sesquiterpene
Unknown	0.16	Oxygenated sesquiterpene
(<i>E</i>)-Nerolidol	0.09	Sesquiterpenic alcohol
Himachalene epoxide	0.23	Sesquiterpenic ether
Unknown	0.15	Unknown
Unknown	0.05	Oxygenated sesquiterpene
Longiborneol	0.31	Sesquiterpenic alcohol
β -Himachalene oxide	0.62	Sesquiterpenic ether
Unknown	0.39	Oxygenated sesquiterpene
Unknown	0.23	Oxygenated sesquiterpene
Unknown	0.46	Oxygenated sesquiterpene
6-Methyl-6-meta-tolyl-heptan-2-one	0.03	Miscellaneous
Himachalol	1.53	Sesquiterpenic alcohol
Unknown	0.24	Oxygenated sesquiterpene
Allohimachalol	0.83	Sesquiterpenic alcohol
β -Atlantone	0.37	Sesquiterpenic ketone
Unknown	0.44	Oxygenated sesquiterpene
(<i>E</i>)-10,11-Dihydroatlantone	0.41	Sesquiterpenic ketone
(<i>Z</i>)- γ -Atlantone	2.72	Sesquiterpenic ketone
Deodarone epimer I	0.56	Sesquiterpenic ketone
Deodarone epimer II	0.38	Sesquiterpenic ketone
(<i>E</i>)- γ -Atlantone	2.96	Sesquiterpenic ketone
(<i>Z</i>)- α -Atlantone	1.81	Sesquiterpenic ketone
Unknown	0.21	Oxygenated sesquiterpene
Unknown	0.08	Oxygenated sesquiterpene
Unknown	0.10	Oxygenated sesquiterpene
Unknown	0.05	Oxygenated sesquiterpene
Unknown	0.13	Oxygenated sesquiterpene
Unknown	0.03	Oxygenated sesquiterpene
(<i>E</i>)- α -Atlantone	7.91	Sesquiterpenic ketone
Unknown	0.24	Oxygenated sesquiterpene
Unknown	0.06	Oxygenated sesquiterpene
Unknown	0.04	Oxygenated sesquiterpene
Consolidated total	95.12%	


tr: The compound has been detected below 0.005% of total signal.


Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Identification	Column DB-5			Column DB-WAX		
	R.T	R.I	%	R.T	R.I	%
Mesityl oxide	1.43	799	0.02	2.32	1091	0.02
α -Pinene	3.05	929	0.04	1.34	992	0.03
Camphene	3.25	941	0.01	1.68	1027	tr
β -Pinene	3.67	969	0.02	2.07	1066	0.02
para-Cymene	4.44	1019	0.01	4.06	1226	tr
Limonene	4.51	1024	0.02	3.16	1157	0.01
Terpinolene	5.47*	1085	0.02	4.26	1239	tr
para-Cymenene	5.47*	1085	[0.02]	6.30	1388	0.01
para-Cresol	5.47*	1085	[0.02]	13.92	2016	0.01
Limona ketone	6.10	1125	0.48	7.75	1495	0.44
α ,4-Dimethyl-3-cyclohexene-1-methanol	6.42	1146	0.03			
α ,4-Dimethyl-3-cyclohexene-1-methanol epimer	6.46	1149	0.03			
Borneol	6.64	1161	0.01	9.87*	1660	36.90
Terpinen-4-ol	6.90	1178	0.10	8.51*	1553	0.49
α -Terpineol	7.06	1188	0.04	9.87*	1660	[36.90]
Unknown [m/z 105, 145 (97), 160 (86), 119 (76), 91 (61)]	7.75	1236	tr			
α -Longipinene	9.39	1346	0.11	6.75	1421	0.10
α -Ylangene	9.72	1369	0.06	7.02	1441	0.03
Unknown [m/z 105, 120 (38), 145 (37), 121 (34), 93 (28), 91 (26)...]	9.78	1373	0.02			
Unknown [m/z 119, 161 (36), 43 (33), 176 (26), 91 (24), 105 (22)]	9.82	1376	0.02	12.47	1882	0.02
Unknown epimer I [m/z 131, 146 (36), 91 (22), 145 (19), 202 (18)]	9.90	1382	0.13	8.21	1529	0.14
Sativene	9.95	1385	0.12	7.49	1476	0.05
Unknown epimer II [m/z 131, 146 (33), 91 (20), 202 (18)]	9.99	1388	0.20	8.33	1539	0.22
Sibirene	10.07	1394	0.04	7.85	1502	0.17
Longifolene	10.13	1398	0.73	7.95	1510	0.62
(Z?)-Vestitenone, or analog	10.24	1406	0.16	11.70	1813	0.16
Unknown [m/z 105, 93 (61), 120	10.35	1414	0.04	12.26	1863	0.17

(55), 145 (54), 91 (52)...						
Himachala-2,4-diene	10.44	1420	0.10	8.51*	1553	[0.49]
Unknown [m/z 91, 93 (90), 105 (72), 202 (71), 131 (68), 77 (63), 107 (55), 187 (54)]	10.46	1422	0.50			
Unknown [m/z 105, 91 (70), 93 (65), 43 (61), 120 (57), 145 (50)... 204 (6)]	10.56	1429	0.29			
<i>trans</i> - α -Bergamotene	10.67	1437	0.13	8.42	1546	0.12
Himachala-2,4-diene isomer	10.68	1438	0.16	8.76	1572	0.25
α -Himachalene	10.78*	1445	15.77	8.95	1587	14.76
(<i>E</i>)-Vestitenone	10.78*	1445	[15.77]	12.19	1857	0.66
Unknown [m/z 187, 131 (78), 202 (76), 105 (74), 91 (74), 117 (53), 145 (52)]	10.93	1457	0.24	9.93	1665	0.37
(<i>E</i>)- β -Farnesene	10.98	1460	0.21	9.58*	1637	9.15
Unknown [m/z 119, 91 (85), 93 (77), 105 (76), 79 (61), 134 (60), 94 (49), 204 (46)]	11.07	1467	0.32	9.41	1623	0.41
Unknown [m/z 131, 202 (78), 91 (74), 105 (68), 187 (68), 119 (53), 145 (52)]	11.08	1468	0.57			
γ -Himachalene	11.17†	1474	11.04	9.58*	1637	[9.15]
11- α H-Himachala-1,4-diene	11.20†	1476	[11.04]	9.61	1640	1.72
Unknown [m/z 137, 43 (84), 138 (63), 109 (53), 95 (51), 93 (50), 207 (46)... 222 (21)]	11.26	1481	0.19	10.15	1683	0.18
β -Himachalene	11.53*†	1501	37.63	9.87*	1660	[36.90]
(<i>Z</i>)- α -Bisabolene	11.53*†	1501	[37.63]	10.30	1695	0.04
Cycloisolongifol-5-ol	11.57†	1504	[37.63]	10.80	1737	0.10
α -Dehydro- α -himachalene	11.62	1508	0.48	11.51	1797	0.46
<i>trans</i> -	11.77†	1520	1.01	11.22	1772	0.06

Calamenene						
γ -Dehydro-ar-himachalene	11.79*†	1521	[1.01]	11.88	1830	0.49
Unknown [m/z 131, 202 (28), 91 (22), 159 (16), 145 (16), 132 (15), 115 (14)]	11.79*†	1521	[1.01]	11.06	1759	0.49
ar-Himachalene	11.92	1531	0.26	11.57	1802	0.29
α -Calacorene	11.98	1536	0.14	12.08	1847	0.25
(<i>E</i>)- α -Bisabolene	12.07	1543	1.12	10.72	1730	1.12
Unknown [m/z 189, 91 (85), 43 (74), 105 (67), 133 (66), 107 (63), 135 (52)... 220 (20)]	12.26	1558	0.16	13.96	2019	0.45
(<i>E</i>)-Nerolidol	12.34	1564	0.09	13.80	2004	0.12
Himachalene epoxide	12.39*	1568	0.38	12.78	1909	0.23
Unknown [m/z 96, 95 (18), 83 (15), 125 (13), 119 (12), 55 (12), 41 (11)... 218? (tr)]	12.39*	1568	[0.38]	14.84*	2104	0.55
Unknown [m/z 177, 202 (79), 91 (76), 159 (75), 43 (65), 107 (59), 105 (57)...]	12.46	1574	0.05	14.41	2062	0.04
Longiborneol	12.62	1586	0.31	14.56	2077	0.29
β -Himachalene oxide	12.84†	1603	0.95	13.12	1941	0.62
Unknown [m/z 138, 110 (77), 137 (75), 107 (62), 91 (61), 93 (60), 109 (57)... 220 (34)]	12.89†	1607	[0.95]	13.41	1968	0.39
Unknown [m/z 137, 119 (69), 43 (51), 95 (50), 109 (40)... 222 (1)]	13.02	1617	0.23	14.84*	2104	[0.55]
Unknown [m/z 119, 163 (80), 107 (64), 95 (61), 93 (57), 91 (53)... 220 (11)]	13.15*	1628	0.49			
6-Methyl-6-methyl-heptan-2-one	13.15*	1628	[0.49]	15.67	2187	0.03
Himachalol	13.27*	1638	1.76	15.16	2136	1.53
Unknown [m/z 119, 91 (44), 94	13.27*	1638	[1.76]			

(36), 107 (35), 93 (29)... 202 (19)...						
Allohimachalol	13.43	1652	0.83	15.51	2171	0.85
β -Atlantone	13.59	1664	0.37	14.84*	2104	[0.55]
Unknown [m/z 83, 55 (19), 119 (14), 120 (10), 84 (6)... 218 (1)]	13.61*	1666	0.85	14.84*	2104	[0.55]
(E)-10,11-Dihydroatlantone	13.61*	1666	[0.85]	14.68	2089	0.41
(Z)- γ -Atlantone	13.87*	1688	3.72	15.10	2130	2.72
Deodarone epimer I	13.87*	1688	[3.72]	15.31*	2151	3.53
Deodarone epimer II	13.89	1689	0.38	15.37	2157	0.69
(E)- γ -Atlantone	14.02	1700	2.96	15.31*	2151	[3.53]
(Z)- α -Atlantone	14.16	1712	1.81	15.58	2178	1.70
Unknown [m/z 105, 119 (89), 59 (68), 120 (65), 43 (65), 93 (62), 121 (61)...	14.31	1725	0.21			
Unknown [m/z 91, 79 (83), 105 (68), 109 (63), 41 (590), 93 (58), 107 (57)...	14.41	1734	0.08	17.93	2428	0.02
Unknown [m/z 83, 91 (28), 105 (25), 55 (21), 43 (17), 119 (17)...	14.49	1740	0.10			
Unknown [m/z 43, 105 (99), 119 (90), 91 (87), 147 (76), 41 (69), 93 (63)...	14.50	1742	0.05			
Unknown [m/z 83, 55 (17), 91 (14), 105 (9), 216 (6)...	14.61	1751	0.13			
Unknown [m/z 91, 105 (74), 93 (67), 79 (59), 133 (54), 41 (47), 107 (46)...	14.67	1756	0.03	18.34	2474	0.03
(E)- α -Atlantone	14.85	1772	7.91	16.31	2254	7.82
Unknown [m/z 95, 43 (59), 69, (57), 67 (43), 163 (42), 94 (37), 107 (37)... 178 (26), 218 (2)]	15.05	1789	0.24			

Unknown [m/z 83, 134 (28), 119 (19), 55 (18), 91 (14), 43 (11), 109 (10)... 216 (4), 249? (0)]	15.56	1835	0.06	20.33	2709	0.01
Unknown [m/z 173, 83 (83), 91 (80), 201 (79), 115 (65)... 216 (31)]	16.06	1880	0.04	18.63	2506	0.05
Total identified	92.91%			89.65%		
Total reported	96.83%			92.63%		

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index