

Date : November 26, 2020

CERTIFICATE OF ANALYSIS – GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 20K20-PTH11


Customer identification : Cedarwood Texas Crude - CB8105206R

Type : Essential oil

Source : *Juniperus mexicana*

Customer : Plant Therapy

ANALYSIS

Method: PC-MAT-014  - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID (in French); identifications validated by GC-MS.

Analyst : Fanny Charlier, B. Sc., chimiste à l'entraînement

Analysis date : November 23, 2020

Checked and approved by :



Alexis St-Gelais, M. Sc., chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

PHYSICOCHEMICAL DATA

Physical aspect: Faintly yellow viscous liquid with white viscous precipitate

Refractive index: 1.5068 ± 0.0003 (20 °C; method PC-MAT-016)

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY – CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

| Identification | % | Class |
|----------------------------|------|-----------------------|
| Unknown | 0.02 | Monoterpene |
| α -Pinene | 0.11 | Monoterpene |
| Camphene | tr | Monoterpene |
| α -Fenchene | 0.02 | Monoterpene |
| Thuja-2,4(10)-diene | 0.03 | Monoterpene |
| α -Methylstyrene | 0.02 | Normonoterpene |
| 6-Methyl-5-hepten-2-one | 0.01 | Aliphatic ketone |
| Myrcene | 0.01 | Monoterpene |
| α -Phellandrene | 0.01 | Monoterpene |
| Δ^3 -Carene | 0.03 | Monoterpene |
| α -Terpinene | 0.01 | Monoterpene |
| para-Cymene | 0.02 | Monoterpene |
| Limonene | 0.01 | Monoterpene |
| γ -Terpinene | 0.01 | Monoterpene |
| Terpinolene | tr | Monoterpene |
| para-Cymenene | 0.01 | Monoterpene |
| Linalool | 0.01 | Monoterpenic alcohol |
| α -Campholenal | 0.01 | Monoterpenic aldehyde |
| <i>trans</i> -Pinocarveol | 0.03 | Monoterpenic alcohol |
| Camphor | 0.02 | Monoterpenic ketone |
| meta-Mentha-4,6-dien-8-ol | 0.02 | Monoterpenic alcohol |
| Pinocamphone | 0.02 | Monoterpenic ketone |
| Borneol | 0.02 | Monoterpenic alcohol |
| α -Phellandren-8-ol | 0.02 | Monoterpenic alcohol |
| Terpinen-4-ol | 0.04 | Monoterpenic alcohol |
| meta-Cymen-8-ol | 0.01 | Monoterpenic alcohol |
| para-Cymen-8-ol | 0.01 | Monoterpenic alcohol |
| α -Terpineol | 0.03 | Monoterpenic alcohol |
| Myrtenol | 0.05 | Monoterpenic alcohol |
| Verbenone | 0.06 | Monoterpenic ketone |
| <i>trans</i> -Carveol | 0.01 | Monoterpenic alcohol |
| Carvacrol methyl ether | 0.04 | Monoterpenic ether |
| Bornyl acetate | 0.01 | Monoterpenic ester |
| Brasila-1,10-diene | 0.01 | Sesquiterpene |
| Carvacrol | 0.04 | Monoterpenic alcohol |
| α -Terpinyl acetate | 0.05 | Monoterpenic ester |
| 2-epi- α -Funebrene | 0.08 | Sesquiterpene |
| β -Patchoulene | 0.02 | Sesquiterpene |
| α -Duprezianene | 0.35 | Sesquiterpene |
| 7-epi-Sesquithujene? | 0.07 | Sesquiterpene |
| β -Elemene | 0.32 | Sesquiterpene |
| α -Chamipinene | 0.03 | Sesquiterpene |
| β -Funebrene | 0.76 | Sesquiterpene |
| α -Cedrene | 8.90 | Sesquiterpene |
| β -Duprezianene | 0.48 | Sesquiterpene |

| | | |
|----------------------------|-------|--------------------------|
| β-Caryophyllene | 0.21 | Sesquiterpene |
| β-Cedrene | 2.50 | Sesquiterpene |
| cis-Thujopsene | 36.24 | Sesquiterpene |
| (Z)-β-Farnesene? | 0.03 | Sesquiterpene |
| Isobazzanene | 0.08 | Sesquiterpene |
| trans-α-Bergamotene | 0.05 | Sesquiterpene |
| Prezizaene | 0.08 | Sesquiterpene |
| α-Himachalene | 0.10 | Sesquiterpene |
| 7,8-Dehydro-α-acoradiene? | 0.05 | Sesquiterpene |
| α-Humulene | 0.09 | Sesquiterpene |
| α-Acoradiene | 0.57 | Sesquiterpene |
| β-Acoradiene | 0.30 | Sesquiterpene |
| Thujopsene isomer | 0.14 | Sesquiterpene |
| β-Chamigrene | 0.64 | Sesquiterpene |
| Unknown | 0.04 | Sesquiterpene |
| γ-Himachalene | 0.37 | Sesquiterpene |
| Widdra-2,4(14)-diene? | 0.14 | Sesquiterpene |
| Unknown | 0.22 | Sesquiterpene |
| ar-Curcumene | 0.15 | Sesquiterpene |
| Valencene | 0.13 | Sesquiterpene |
| Pseudowiddrene | 0.72 | Sesquiterpene |
| α-Chamigrene | 0.64 | Sesquiterpene |
| β-Himachalene | 0.83 | Sesquiterpene |
| α-Cuprenene | 0.80 | Sesquiterpene |
| Cuparene | 2.01 | Sesquiterpene |
| 1,2-Dihydrocuparene | 0.20 | Sesquiterpene |
| α-Alaskene | 0.71 | Sesquiterpene |
| α-Dehydro-ar-himachalene | 0.03 | Sesquiterpene |
| 1,4-Dihydrocuparene | 0.14 | Sesquiterpene |
| δ-Cadinene | 0.30 | Sesquiterpene |
| γ-Dehydro-ar-himachalene | 0.10 | Sesquiterpene |
| β-Sesquiphellandrene | 0.39 | Sesquiterpene |
| γ-Cuprenene | 0.04 | Sesquiterpene |
| Unknown | 0.43 | Oxygenated sesquiterpene |
| ar-Himachalene | 0.04 | Sesquiterpene |
| δ-Cuprenene epimer I | 0.11 | Sesquiterpene |
| Unknown | 0.24 | Oxygenated sesquiterpene |
| δ-Cuprenene epimer II | 0.21 | Sesquiterpene |
| Unknown | 0.03 | Oxygenated sesquiterpene |
| Caryophyllenyl alcohol | 0.19 | Sesquiterpenic alcohol |
| Caryophyllene oxide isomer | 0.01 | Sesquiterpenic ether |
| Caryophyllene oxide | 0.03 | Sesquiterpenic ether |
| allo-Cedrol | 0.58 | Sesquiterpenic alcohol |
| α-Cedrol | 22.55 | Sesquiterpenic alcohol |
| Widdrol | 1.98 | Sesquiterpenic alcohol |
| epi-Cedrol | 0.48 | Sesquiterpenic alcohol |
| Unknown | 0.39 | Oxygenated sesquiterpene |
| Unknown | 0.17 | Oxygenated sesquiterpene |
| α-Acorenol | 1.01 | Sesquiterpenic alcohol |
| β-Acorenol | 0.26 | Sesquiterpenic alcohol |
| Unknown | 0.09 | Oxygenated sesquiterpene |
| Unknown | 0.25 | Oxygenated sesquiterpene |

| | | |
|---------------------------|---------------|--------------------------|
| Unknown | 0.48 | Oxygenated sesquiterpene |
| Himachalol | 0.42 | Sesquiterpenic alcohol |
| Unknown | 0.32 | Oxygenated sesquiterpene |
| Unknown | 0.22 | Oxygenated sesquiterpene |
| Cedrenol analog | 0.42 | Sesquiterpenic alcohol |
| Cedr-8-en-13-ol | 0.20 | Sesquiterpenic alcohol |
| α-Bisabolol | 0.35 | Sesquiterpenic alcohol |
| α-Cedrenol | 0.16 | Sesquiterpenic alcohol |
| Unknown | 0.44 | Oxygenated sesquiterpene |
| Mayurone? | 0.07 | Norsesquiterpenic ketone |
| Thujopsenal | 0.29 | Sesquiterpenic aldehyde |
| Unknown | 0.06 | Oxygenated sesquiterpene |
| Thujopsenal analog | 0.07 | Sesquiterpenic aldehyde |
| Unknown | 0.07 | Oxygenated sesquiterpene |
| Cedryl acetate | 0.10 | Sesquiterpenic ester |
| Unknown | 0.05 | Oxygenated sesquiterpene |
| Unknown | 0.03 | Oxygenated sesquiterpene |
| Unknown | 0.02 | Oxygenated sesquiterpene |
| Unknown | 0.09 | Oxygenated sesquiterpene |
| Unknown | 0.08 | Oxygenated sesquiterpene |
| Nootkatone analog | 0.01 | Sesquiterpenic ketone |
| Consolidated total | 93.87% | |


tr: The compound has been detected below 0.005% of total signal.


Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

| Identification | Column DB-5 | | | Column DB-WAX | | |
|-------------------------------------------------------------------------------------|-------------|------|--------|---------------|------|--------|
| | R.T | R.I | % | R.T | R.I | % |
| Unknown [m/z 105, 79 (80), 91 (78), 77 (69), 78 (56), 93 (46), 120 (44)... 136 (4)] | 2.81 | 917 | 0.02 | 2.21 | 1103 | 0.01 |
| α -Pinene | 3.00 | 930 | 0.11 | 1.19 | 991 | 0.11 |
| Camphene | 3.17* | 942 | 0.04 | 1.49 | 1027 | tr |
| α -Fenchene | 3.17* | 942 | [0.04] | 1.43 | 1021 | 0.02 |
| Thuja-2,4(10)-diene | 3.28 | 949 | 0.03 | 2.01 | 1082 | 0.02 |
| α -Methylstyrene | 3.71 | 978 | 0.02 | 4.46 | 1282 | 0.02 |
| 6-Methyl-5-hepten-2-one | 3.86 | 988 | 0.01 | | | |
| Myrcene | 3.94 | 993 | 0.01 | | | |
| α -Phellandrene | 4.07 | 1002 | 0.01 | | | |
| Δ^3 -Carene | 4.15 | 1007 | 0.03 | 2.30 | 1110 | 0.03 |
| α -Terpinene | 4.26 | 1014 | 0.01 | | | |
| para-Cymene | 4.38 | 1021 | 0.02 | 3.72 | 1225 | 0.02 |
| Limonene | 4.44 | 1026 | 0.01 | 2.86 | 1156 | 0.01 |
| γ -Terpinene | 4.93 | 1056 | 0.01 | 3.46 | 1205 | 0.01 |
| Terpinolene | 5.40* | 1086 | 0.02 | 3.91 | 1240 | tr |
| para-Cymenene | 5.40* | 1086 | [0.02] | 5.88 | 1382 | 0.01 |
| Linalool | 5.64 | 1102 | 0.01 | 7.67* | 1516 | 0.77 |
| α -Campholenal | 5.96 | 1122 | 0.01 | 6.55 | 1432 | 0.01 |
| trans-Pinocarveol | 6.13 | 1134 | 0.03 | 8.78 | 1602 | 0.03 |
| Camphor | 6.18 | 1137 | 0.02 | 6.86* | 1455 | 0.10 |
| meta-Mentha-4,6-dien-8-ol | 6.32 | 1146 | 0.02 | 8.92* | 1614 | 0.61 |
| Pinocamphone | 6.45 | 1154 | 0.02 | 6.92 | 1459 | 0.01 |
| Borneol | 6.57 | 1162 | 0.02 | 9.30* | 1646 | 0.08 |
| α -Phellandren-8-ol | 6.62 | 1165 | 0.02 | 9.74 | 1681 | 0.13 |
| Terpinen-4-ol | 6.76 | 1174 | 0.04 | 8.11 | 1550 | 0.06 |
| meta-Cymen-8-ol | 6.87 | 1181 | 0.01 | 11.11 | 1798 | 0.04 |
| para-Cymen-8-ol | 6.91 | 1184 | 0.01 | 11.07* | 1795 | 0.05 |
| α -Terpineol | 6.98 | 1189 | 0.03 | 9.30* | 1646 | [0.08] |
| Myrtenol | 7.07 | 1194 | 0.05 | 10.38 | 1736 | 0.03 |
| Verbenone | 7.21 | 1203 | 0.06 | 9.19* | 1636 | 0.70 |
| trans-Carveol | 7.44 | 1219 | 0.01 | 11.01 | 1789 | 0.01 |
| Carvacrol methyl ether | 7.82 | 1245 | 0.04 | 8.16 | 1554 | 0.08 |
| Bornyl acetate | 8.41 | 1285 | 0.01 | 7.79 | 1525 | 0.18 |
| Brasila-1,10-diene | 8.70 | 1305 | 0.01 | 5.68 | 1367 | 0.02 |
| Carvacrol | 8.77 | 1306 | 0.04 | 14.91 | 2160 | 0.20 |
| α -Terpinyl acetate | 9.36 | 1348 | 0.05 | 9.27 | 1643 | 0.19 |
| 2-epi- α -Funebrene | 9.71* | 1373 | 0.11 | 6.86* | 1455 | [0.10] |
| β -Patchoulene | 9.71* | 1373 | [0.11] | 6.52 | 1429 | 0.02 |
| α -Duprezianene | 9.78 | 1378 | 0.35 | 7.08 | 1471 | 0.29 |
| 7-epi-Sesquithujene? | 9.82 | 1381 | 0.07 | 7.50 | 1503 | 0.07 |
| β -Elemene | 9.93 | 1388 | 0.32 | 7.96* | 1538 | 2.82 |

| | | | | | | |
|----------------------------------------------------------------------------------------|--------|------|--------|--------|------|--------|
| α-Chamipinene | 10.01 | 1394 | 0.03 | 7.65* | 1514 | 8.93 |
| β-Funebrene | 10.18* | 1406 | 9.96 | 7.67* | 1516 | [0.77] |
| α-Cedrene | 10.18* | 1406 | [9.96] | 7.65* | 1514 | [8.93] |
| β-Duprezianene | 10.27* | 1413 | 3.28 | 7.83 | 1528 | 0.48 |
| β-Caryophyllene | 10.27* | 1413 | [3.28] | 8.01* | 1543 | 0.27 |
| β-Cedrene | 10.27* | 1413 | [3.28] | 7.96* | 1538 | [2.82] |
| cis-Thujopsene | 10.48 | 1429 | 36.24 | 8.34 | 1568 | 36.35 |
| (Z)-β-Farnesene? | 10.51* | 1431 | 0.12 | 8.82 | 1606 | 0.03 |
| Isobazzanene | 10.51* | 1431 | [0.12] | 8.13 | 1552 | 0.08 |
| trans-α-Bergamotene | 10.55 | 1434 | 0.05 | 8.01* | 1543 | [0.27] |
| Prezizaene | 10.60 | 1438 | 0.08 | 8.38 | 1571 | 0.06 |
| α-Himachalene | 10.65* | 1442 | 0.59 | 8.42 | 1574 | 0.10 |
| 7,8-Dehydro-α-acoradiene? | 10.65* | 1442 | [0.59] | 9.10 | 1629 | 0.05 |
| α-Humulene | 10.74 | 1448 | 0.09 | 8.85 | 1609 | 0.03 |
| α-Acoradiene | 10.88 | 1458 | 0.57 | 8.92* | 1614 | [0.61] |
| β-Acoradiene | 10.92 | 1461 | 0.30 | 9.00* | 1621 | 0.34 |
| Thujopsene isomer | 10.96 | 1464 | 0.14 | 9.00* | 1621 | [0.34] |
| β-Chamigrene | 11.02* | 1469 | 0.67 | 9.19* | 1636 | [0.70] |
| Unknown [m/z 91, 105 (93), 161 (77), 93 (73), 119 (71), 133 (69)... 204 (31)] | 11.02* | 1469 | [0.67] | | | |
| γ-Himachalene | 11.04 | 1471 | 0.37 | 9.13 | 1632 | 0.39 |
| Widdra-2,4(14)-diene? | 11.08 | 1474 | 0.14 | 9.36* | 1650 | 0.96 |
| Unknown [m/z 189, 91 (95), 105 (93), 133 (84), 119 (75), 41 (59), 93 (46)... 204 (33)] | 11.16 | 1479 | 0.22 | 9.46* | 1659 | 0.94 |
| ar-Curcumene | 11.18 | 1481 | 0.15 | 10.22 | 1722 | 0.16 |
| Valencene | 11.31* | 1491 | 1.01 | 9.51 | 1662 | 0.13 |
| Pseudowiddrene | 11.31* | 1491 | [1.01] | 9.46* | 1659 | [0.94] |
| α-Chamigrene | 11.34 | 1493 | 0.64 | 9.61* | 1671 | 2.16 |
| β-Himachalene | 11.37* | 1495 | 2.12 | 9.36* | 1650 | [0.96] |
| α-Cuprenene | 11.37* | 1495 | [2.12] | 9.61* | 1671 | [2.16] |
| Cuparene | 11.42 | 1499 | 2.01 | 10.59* | 1753 | 1.98 |
| 1,2-Dihydrocuparene | 11.49 | 1504 | 0.20 | 9.86 | 1691 | 0.17 |
| α-Alaskene | 11.53 | 1508 | 0.71 | 9.61* | 1671 | [2.16] |
| α-Dehydro-arhimachalene | 11.56* | 1510 | 0.17 | 11.07* | 1795 | [0.05] |
| 1,4-Dihydrocuparene | 11.56* | 1510 | [0.17] | 10.07 | 1708 | 0.14 |
| δ-Cadinene | 11.69* | 1520 | 0.52 | 9.99 | 1702 | 0.30 |
| γ-Dehydro-arhimachalene | 11.69* | 1520 | [0.52] | 11.52 | 1835 | 0.10 |
| β-Sesquiphellandrene | 11.69* | 1520 | [0.52] | 10.17 | 1717 | 0.39 |
| γ-Cuprenene | 11.74 | 1524 | 0.04 | 10.20 | 1720 | 0.04 |

| | | | | | | |
|-----------------------------------------------------------------------------------------------------------|---------|------|---------|--------|------|---------|
| Unknown [m/z 91, 107 (97), 105 (93), 41 (92), 109 (78), 43 (78), 121 (76), 135 (75)... 220 (21)] | 11.76 | 1526 | 0.43 | | | |
| ar-Himachalene | 11.81* | 1530 | 0.18 | 11.20 | 1806 | 0.04 |
| δ-Cuprenene epimer I | 11.81* | 1530 | [0.18] | 10.51 | 1746 | 0.11 |
| Unknown [m/z 43, 95 (81), 207 (61), 41 (55), 55 (50)... 222 (3)] | 11.86 | 1533 | 0.24 | 13.35 | 2004 | 0.22 |
| δ-Cuprenene epimer II | 11.90 | 1536 | 0.21 | 10.59* | 1753 | [1.98] |
| Unknown [m/z 91, 119 (98), 121 (91), 105 (85), 43 (82), 41 (76)... 205 (37), 220 (16)] | 12.05 | 1549 | 0.03 | 12.92 | 1963 | 0.04 |
| Caryophyllenyl alcohol | 12.21 | 1562 | 0.19 | 13.21 | 1991 | 0.14 |
| Caryophyllene oxide isomer | 12.34* | 1571 | 0.15 | 12.21 | 1897 | 0.01 |
| Caryophyllene oxide | 12.34* | 1571 | [0.15] | 12.26 | 1902 | 0.03 |
| allo-Cedrol | 12.45 | 1580 | 0.58 | 13.78* | 2046 | 23.14 |
| α-Cedrol | 12.66*† | 1597 | 24.92 | 13.78* | 2046 | [23.14] |
| Widdrol | 12.66*† | 1597 | [24.92] | 14.11* | 2079 | 2.16 |
| epi-Cedrol | 12.76 | 1605 | 0.48 | 14.28 | 2095 | 0.58 |
| Unknown [m/z 138, 110 (77), 137 (75), 107 (62), 91 (61), 93 (60), 109 (57)... 220 (34)] | 12.82 | 1609 | 0.39 | | | |
| Unknown [m/z 107, 41 (86), 123 (85), 82 (79), 95 (77), 93 (76), 91 (73), 69 (71)... 220 (13)] | 12.92 | 1618 | 0.17 | 14.11* | 2079 | [2.16] |
| α-Acorenol | 12.98 | 1623 | 1.01 | 13.95 | 2063 | 0.91 |
| β-Acorenol | 13.04* | 1628 | 0.78 | 14.35 | 2103 | 0.26 |
| Unknown [m/z 132, 175 (22), 119 (18), 91 (18), 157 (18)... 219 (10)] | 13.04* | 1628 | [0.78] | 15.09 | 2178 | 0.09 |
| Unknown [m/z 105, 93 (78), 95 (75), 131 (72), 119 (71), 132 (70), 91 (67), 120 (49)... 202 (39), 220 (9)] | 13.06 | 1630 | 0.25 | 15.34 | 2204 | 0.07 |

| | | | | | | |
|-----------------------------------------------------------------------------------------|--------|------|--------|-------|------|------|
| Unknown [m/z 123, 81 (77), 95 (77), 107 (72), 41 (72), 93 (66), 55 (64)... 220? (13)] | 13.16 | 1638 | 0.48 | | | |
| Himachalol | 13.18 | 1639 | 0.42 | 14.65 | 2133 | 0.37 |
| Unknown [m/z 41, 91 (96), 79 (88), 69 (82), 123 (80), 93 (80)... 220 (8)] | 13.21 | 1642 | 0.32 | 16.81 | 2363 | 0.43 |
| Unknown [m/z 43, 81 (84), 41 (64), 67 (62), 95 (58), 79 (58)... 204 (48), 220 (2)] | 13.27 | 1647 | 0.22 | 14.96 | 2165 | 0.17 |
| Cedrenol analog | 13.35 | 1653 | 0.42 | 15.88 | 2261 | 0.32 |
| Cedr-8-en-13-ol | 13.60 | 1674 | 0.20 | 16.40 | 2317 | 0.04 |
| α -Bisabolol | 13.68 | 1681 | 0.35 | 14.87 | 2156 | 0.27 |
| α -Cedrenol | 13.73 | 1685 | 0.16 | 16.50 | 2328 | 0.12 |
| Unknown [m/z 91, 105 (87), 123 (74), 135 (70), 107 (60), 79 (59)... 220 (13)] | 13.81† | 1692 | 0.51 | | | |
| Mayurone? | 13.84† | 1694 | [0.51] | 16.54 | 2333 | 0.07 |
| Thujopsenal | 13.88 | 1698 | 0.29 | 15.26 | 2195 | 0.22 |
| Unknown [m/z 105, 69 (77), 91 (66), 119 (65), 111 (56), 107 (45), 55 (45)... 220? (2)] | 13.93 | 1701 | 0.06 | 16.89 | 2372 | 0.04 |
| Thujopsenal analog | 14.26 | 1730 | 0.07 | 16.94 | 2377 | 0.02 |
| Unknown [m/z 105, 91 (83), 79 (78), 135 (67), 107 (56), 67 (53)... 220 (9)] | 14.36 | 1739 | 0.07 | | | |
| Cedryl acetate | 14.53 | 1754 | 0.10 | 14.13 | 2081 | 0.07 |
| Unknown [m/z 91, 105 (74), 93 (67), 79 (59), 133 (54), 41 (47), 107 (46)...] | 14.58 | 1758 | 0.05 | 17.80 | 2476 | 0.03 |
| Unknown [m/z 121, 136 (47), 119 (27), 91 (27), 105 (22), 41 (21)... 220 (4)] | 14.74 | 1772 | 0.03 | 17.87 | 2484 | 0.01 |
| Unknown [m/z 189, 91 (48), 133 (40), 105 (40), 41 (34), 187 (34)... 220 (5)] | 14.85 | 1782 | 0.02 | 18.02 | 2500 | 0.03 |
| Unknown [m/z 148, 141 (99), 91 (74), 105 (52), 41 (42), 121 (42), 133 (37)... 218 (32)] | 14.90 | 1786 | 0.09 | 19.18 | 2640 | 0.06 |

| | | | | | | |
|-----------------------------------------------------------------------------|-------|---------------|------|-------|---------------|------|
| Unknown [m/z 121, 136 (53), 91 (22), 93 (19), 79 (15), 105 (13)... 220 (3)] | 14.95 | 1791 | 0.08 | 17.98 | 2496 | 0.10 |
| Nootkatone analog | 15.20 | 1812 | 0.01 | 17.39 | 2428 | 0.01 |
| Total identified | | 92.36% | | | 90.21% | |
| Total reported | | 96.04% | | | 91.50% | |

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index