



PLANT THERAPY
100% PURE ESSENTIAL OILS

GC/MS BATCH NUMBER: H20104

ESSENTIAL OIL: HELICHRYSUM ITALICUM
BOTANICAL NAME: HELICHRYSUM ITALICUM
ORIGIN: FRANCE

KEY CONSTITUENTS PRESENT IN THIS BATCH OF HELICHRYSUM ITALICUM OIL	%
α -PINENE	25.0
NERYL ACETATE	23.7
γ -CURCUMENE	8.7
LIMONENE	2.8
α -SELINENE	1.9
ITALICENE	2.7
β -CARYOPHYLLENE	2.3
TERPINOLENE	2.2
α -TERPINEOL	1.8
β -SELINENE	1.8
α -CURCUMENE	1.6
β -PINENE	1.3

Comments from Robert Tisserand: : Excellent "warm bread" odor quality, and constituents all look fine. Contains 3% italidiones.

Date : February 28, 2017

SAMPLE IDENTIFICATION

Internal code : 17B13-PTH2-1-DM

Customer identification : Helichrysum Italicum - Montenegro - H20104612R

Type : Essential oil

Source : *Helichrysum italicum*

Customer : Plant Therapy

ANALYSIS

Method : PC-PA-001-15E06, "Analysis of the composition of a liquid essential oil by GC-FID" (in French).

Identifications double-checked by GC-MS

Analyst : Sylvain Mercier, M. Sc., chimiste

Analysis date : 2017-02-27

Checked and approved by :



Alexis St-Gelais, M. Sc., chimiste 2013-174

Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.

This report is digitally signed, it is only considered valid if the digital signature is intact.

IDENTIFIED COMPOUNDS

Identification	Column: BP5			Column: WAX			Molecular Class
	R.T.	R.I.	%	%	R.I.	R.T.	
2,4-Dimethyl-3-pentanone	1.65	793	0.04	0.03	884	0.96	Aliphatic ketone
4-Methyl-3-hexanone	2.20	836	0.16	0.16	1008	1.67	Aliphatic ketone
Tricyclene	3.31	914	0.09	0.11	931	1.16	Monoterpene
α -Thujene	3.40	920	0.04	24.95	965	1.31*	Monoterpene
α -Pinene	3.54*	928	25.01	[24.95]	965	1.31*	Monoterpene
Irid-2-ene?	3.54*	928	[25.01]				Monoterpene
β -Citronellene	3.71	938	0.14				Monoterpene
α -Fenchene	3.77	942	0.38	0.55	992	1.52	Monoterpene
Camphene	3.79	943	0.79	0.76	999	1.58	Monoterpene
Thuja-2,4(10)-diene	3.88	948	0.03	0.03	1059	2.13*	Monoterpene
Unknown (m/z = 95, 67 (13), 138 (9))	4.18	966	0.20				Monoterpene
Sabinene	4.22	968	0.01	[0.03]	1059	2.13*	Monoterpene
β -Pinene	4.28	972	1.30	1.26	1042	1.96	Monoterpene
Myrcene	4.55	988	0.09	0.08	1118	2.73	Monoterpene
<i>trans</i> -Dehydroxylinalool oxide	4.57	990	0.04	0.03	1157	3.26	Monoterp. ether
6-Methyl-5-hepten-2-one	4.64	993	0.01	0.01	1289	5.16	Aliphatic ketone
Δ 3-Carene	4.83*	1004	0.48	0.40	1097	2.45	Monoterpene
α -Phellandrene	4.83*	1004	[0.48]	0.04	1111	2.64	Monoterpene
α -Terpinene	5.01	1014	0.88	0.86	1125	2.83	Monoterpene
para-Cymene	5.19	1024	0.86	0.76	1211	4.00	Monoterpene
Limonene	5.25	1027	2.79	2.70	1144	3.08	Monoterpene
β -Phellandrene	5.27	1028	0.27	0.92	1149	3.15*	Monoterpene
1,8-Cineole	5.31	1030	0.61	[0.92]	1149	3.15*	Monoterp. ether
<i>cis</i> - β -Ocimene	5.42	1036	0.03	0.80	1192	3.72*	Monoterpene
<i>trans</i> - β -Ocimene	5.60	1046	0.05	0.05	1204	3.89	Monoterpene
Isobutyl angelate	5.72	1053	0.15	0.14	1238	4.41	Aliphatic ester
γ -Terpinene	5.79	1056	0.80	[0.80]	1192	3.72*	Monoterpene
<i>cis</i> -Linalool oxide (fur.)	6.10	1073	0.01	0.01	1385	6.71	Monoterp. alcohol
Terpinolene	6.28	1083	2.19	2.01	1226	4.23	Monoterpene
<i>trans</i> -Linalool oxide (fur.)	6.42	1091	0.08	0.09	1407	7.22	Monoterp. alcohol
para-Cymenene	6.56	1096	0.04	0.04	1368	6.46	Monoterpene
2,4-Dimethyl-heptane-3,5- dione	6.61	1098	0.07	0.07	1475	8.88	Aliphatic ketone
Linalool	6.70	1101	0.46	0.44	1496	9.46	Monoterp. alcohol
2-Methylbutyl 2- methylbutyrate	6.72	1102	0.05	0.06	1234	4.35	Aliphatic ester
Nonanal	6.82	1106	0.04	0.05	1336	5.93	Aliphatic aldehyde
endo-Fenchol	7.12	1117	0.21	0.59	1521	10.40*	Monoterp. alcohol
1-Terpineol	7.56	1133	0.13	0.10	1510	9.99	Monoterp. alcohol

<i>trans</i> -Pinocarveol	7.71	1138	0.04	0.03	1575	12.44	Monoterp. alcohol
Isoamyl angelate	7.98*	1148	0.65	0.50	1340	5.99	Aliphatic ester
Camphor	7.98*	1148	[0.65]	0.30	1419	7.51*	Monoterp. ketone
Camphene hydrate	8.09	1152	0.03	0.07	1534	10.90	Monoterp. alcohol
Borneol	8.60	1171	0.14	0.14	1613	14.17	Monoterp. alcohol
Terpinen-4-ol	8.83	1179	0.19	[0.59]	1521	10.40*	Monoterp. alcohol
Dimethyl octanedione isomer	8.95	1184	0.19	0.23	1532	10.81	β -diketone
4,6-Dimethyl-3,5-octanedione	9.00	1186	0.19	0.23	1526	10.60	β -diketone
α -Terpineol	9.46	1198	1.76	2.63	1624	14.76*	Monoterp. alcohol
γ -Terpineol	9.60	1201	0.27	1.88	1630	15.09*	Monoterp. alcohol
Unknown (m/z = 81, 168 (53), 67 (49), 140 (47), 41 (44))	10.55	1222	0.12				
Nerol	10.59	1223	0.73	0.72	1729	20.86	Monoterp. alcohol
Neral	11.29	1239	0.02	0.03	1600	13.51	Monoterp. aldehyde
<i>cis</i> -Isogeraniol	11.78	1250	0.04	0.04	1744	21.93	Monoterp. alcohol
Hexyl angelate	13.42	1286	0.17	0.54	1607	13.86*	Aliphatic ester
2,6-Dimethyl-1,7-octadiene-3,6-diol	17.37	1348	0.18	0.17	1995	37.23	Monoterp. alcohol
α -Ylangene	17.48	1350	0.12	[0.30]	1419	7.51*	Sesquiterpene
α -Copaene	17.97*	1357	1.59	0.65	1430	7.77	Sesquiterpene
Isoitalicene	17.97*	1357	[1.59]	0.96	1427	7.71	Sesquiterpene
Neryl acetate	18.42	1364	23.67	24.52	1664	16.92*	Monoterp. ester
Geranyl acetate	19.71	1384	0.14	1.69	1695	18.55*	Monoterp. ester
Italicene	19.95	1387	2.73	2.52	1471	8.79	Sesquiterpene
β -Caryophyllene	20.91	1400	2.31	2.39	1516	10.21	Sesquiterpene
<i>cis</i> - α -Bergamotene	20.99	1401	0.43	0.61	1507	9.85	Sesquiterpene
<i>trans</i> - α -Bergamotene	22.48	1419	0.52	[0.59]	1521	10.40*	Sesquiterpene
Italidione I	23.36	1429	0.92	2.82	1799	25.60*	β -diketone
α -Humulene	23.64	1432	0.16	0.20	1592	13.08	Sesquiterpene
β -Acoradiene	24.42	1442	0.20	0.27	1587	12.87	Sesquiterpene
<i>trans</i> - β -Farnesene	24.78	1446	0.29	0.32	1626	14.91	Sesquiterpene
Neryl propionate	25.09	1450	0.80	0.86	1721	20.35	Monoterp. ester
γ -Selinene	25.40	1454	0.64	0.71	1596	13.26	Sesquiterpene
Germacrene D	26.05	1461	0.22	[0.54]	1607	13.86*	Sesquiterpene
γ -Curcumene	26.51	1467	8.72	9.22	1622	14.69	Sesquiterpene
β -Selinene	26.56	1468	1.67	[2.63]	1624	14.76*	Sesquiterpene
α -Curcumene	26.89	1472	1.62	[1.69]	1695	18.55*	Sesquiterpene
α -Selinene	27.19*	1475	2.68	[1.88]	1630	15.09*	Sesquiterpene
Italidione II	27.19*	1475	[2.68]	[2.82]	1799	25.60*	β -diketone
α -Muurolene	27.88	1483	0.14	0.15	1633	15.26	Sesquiterpene
δ -Amorphene	28.06	1486	0.12	0.14	1641	15.71	Sesquiterpene

γ -Cadinene	28.89	1496	0.29	[24.52]	1664	16.92*	Sesquiterpene
β -Curcumene	29.16	1500	0.55	0.51	1667	17.09	Sesquiterpene
Italidione II isomer	29.29	1502	0.21	[2.82]	1799	25.60*	β -diketone
δ -Cadinene	29.58	1506	0.46	0.46	1671	17.33	Sesquiterpene
<i>trans</i> - γ -Bisabolene	29.78	1509	0.05	0.05	1689	18.21	Sesquiterpene
<i>trans</i> -Cadina-1,4-diene	30.32	1516	0.04	0.03	1699	18.81	Sesquiterpene
β -Sesquiphellandrene	30.51	1519	0.05	0.06	1702	19.03	Sesquiterpene
<i>trans</i> - α -Bisabolene	31.42	1531	0.04	[1.69]	1695	18.55*	Sesquiterpene
Italicene ether	32.09	1541	0.06				Sesquiterp. ether
Italidione III	33.89	1566	0.33	[2.82]	1799	25.60*	β -diketone
Italidione III isomer	34.20	1570	0.13				β -diketone
Italidione III isomer II	34.56	1575	0.08				β -diketone
Italidione III isomer III	34.67	1577	0.15				β -diketone
Guaiol	35.31	1586	0.11	0.33	2010	37.74*	Sesquiterp. alcohol
Italidione III isomer IV	35.62	1590	0.16				β -diketone
Rosifoliol analog?	35.83	1594	0.27	[0.33]	2010	37.74*	Sesquiterp. alcohol
10-epi- γ -Eudesmol	36.12	1601	0.14	0.11	1985	36.77	Sesquiterp. alcohol
Neryl angelate?	37.06	1624	0.07				Monoterp. ester
τ -Cadinol	37.43	1633	0.03	0.02	2083	40.02	Sesquiterp. alcohol
β -Eudesmol	37.77*	1641	0.13	0.09	2109	40.78	Sesquiterp. alcohol
α -Eudesmol	37.77*	1641	[0.13]	0.03	2123	41.15	Sesquiterp. alcohol
Selin-11-en-4- α -ol	37.95	1646	0.16	0.13	2132	41.40	Sesquiterp. alcohol
Total identified			96.13%	95.46%			

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

Note: no correction factor was applied

OTHER DATA

Physical aspect : Faintly yellow liquid

Refractive index : 1.4720 \pm 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent were detected using this method.



