

Date : July 03, 2020

CERTIFICATE OF ANALYSIS – GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 20F29-PTH09

Customer identification : Lemongrass - India - L8010899R

Type : Essential oil

Source : *Cymbopogon flexuosus*

Customer : Plant Therapy

ANALYSIS

Method: PC-MAT-014  - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID (in French); identifications validated by GC-MS.

Analyst : Fanny Charlier, B. Sc., chimiste à l'entraînement

Analysis date : June 30, 2020

Checked and approved by :

Alexis St-Gelais, M. Sc., chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



*P*HYSICO*C*HEMICAL *D*ATA

Physical aspect: Yellow liquid

Refractive index: 1.4858 ± 0.0003 (20 °C; method PC-MAT-016)

*C*ONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY – CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Isovaleral	0.01	Aliphatic aldehyde
2-Methylbutyral	tr	Aliphatic aldehyde
Hexanal	tr	Aliphatic aldehyde
4-Heptanone	0.01	Aliphatic ketone
Tricyclene	0.09	Monoterpene
α-Pinene	0.13	Monoterpene
Camphene	0.74	Monoterpene
Sabinene	0.01	Monoterpene
β-Pinene	0.01	Monoterpene
6-Methyl-5-hepten-2-one	1.07	Aliphatic ketone
Dehydro-1,8-cineole	0.03	Monoterpenic ether
Myrcene	0.06	Monoterpene
6-Methyl-5-hepten-2-ol	0.05	Aliphatic alcohol
α-Phellandrene	0.01	Monoterpene
Octanal	0.06	Aliphatic aldehyde
α-Terpinene	0.01	Monoterpene
para-Cymene	0.01	Monoterpene
β-Phellandrene	0.02	Monoterpene
Limonene	0.20	Monoterpene
1,8-Cineole	tr	Monoterpenic ether
Benzeneacetaldehyde	0.01	Simple phenolic
(Z)-β-Ocimene	0.26	Monoterpene
(E)-β-Ocimene	0.16	Monoterpene
2,6-Dimethyl-5-heptenal (melonal)	0.03	Aliphatic aldehyde
γ-Terpinene	0.01	Monoterpene
cis-Linalool oxide (fur.)	0.02	Monoterpenic alcohol
4-Nonanone	0.84	Aliphatic ketone
Terpinolene	0.05	Monoterpene
4-Nonanol	0.02	Aliphatic alcohol
Rosefuran	0.23	Monoterpenic ether
Linalool	1.03	Monoterpenic alcohol
Perillene	0.08	Monoterpenic ether
cis-Chrysanthemal?	0.03	Monoterpenic aldehyde
Unknown	0.01	Unknown
trans-para-Mentha-2,8-dien-1-ol	0.02	Monoterpenic alcohol
Unknown	0.12	Unknown
Unknown	0.02	Unknown
trans-Chrysanthemal	0.25	Monoterpenic aldehyde
exo-Isocitral	0.06	Monoterpenic aldehyde
Citronellal	0.25	Monoterpenic aldehyde
Borneol	0.18	Monoterpenic alcohol
Isoneral	0.52	Monoterpenic aldehyde
Rosefuran oxide	0.04	Monoterpenic ether
Terpinen-4-ol	0.21	Monoterpenic alcohol
Unknown	0.13	Oxygenated monoterpene

Unknown	0.01	Unknown
Isogeranial	0.79	Monoterpenic aldehyde
α -Terpineol	0.14	Monoterpenic alcohol
Myrtenal	0.07	Monoterpenic aldehyde
<i>trans</i> -Isopiperitenol	0.02	Monoterpenic alcohol
Unknown	0.03	Oxygenated monoterpene
Decanal	0.12	Aliphatic aldehyde
<i>cis</i> -Isopiperitenol	0.02	Monoterpenic alcohol
2,3-Epoxyneral?	0.03	Monoterpenic aldehyde
Nerol	0.04	Monoterpenic alcohol
Citronellol	0.19	Monoterpenic alcohol
Neral	31.69	Monoterpenic aldehyde
Piperitone	0.07	Monoterpenic ketone
Geraniol	5.84	Monoterpenic alcohol
Geranal	41.41	Monoterpenic aldehyde
Unknown	0.12	Oxygenated monoterpene
Bornyl acetate	0.07	Monoterpenic ester
Geranyl formate	0.04	Monoterpenic ester
Unknown	0.10	Unknown
α -Cubebene	0.02	Sesquiterpene
Citronellyl acetate	0.07	Monoterpenic ester
Cyclosativene I	0.11	Sesquiterpene
Cyclosativene II	0.11	Sesquiterpene
α -Copaene	0.01	Sesquiterpene
Geranic acid	0.35	Aliphatic acid
β -Bourbonene	0.03	Sesquiterpene
Geranyl acetate	2.73	Monoterpenic ester
β -Cubebene	0.01	Sesquiterpene
β -Elemene	0.09	Sesquiterpene
β -Longipinene	0.02	Sesquiterpene
β -Caryophyllene	1.61	Sesquiterpene
<i>trans</i> - α -Bergamotene	0.01	Sesquiterpene
α -Humulene	0.23	Sesquiterpene
(E)-Isoleugenol	0.36	Phenylpropanoid
Unknown	tr	Unknown
<i>cis</i> -Muurola-4(15),5-diene	0.03	Sesquiterpene
<i>trans</i> -Cadina-1(6),4-diene	0.04	Sesquiterpene
Germacrene D	0.19	Sesquiterpene
γ -Amorphene	0.03	Sesquiterpene
epi-Cubebol	0.18	Sesquiterpenic alcohol
α -Selinene	0.02	Sesquiterpene
α -Murolene	0.10	Sesquiterpene
γ -Cadinene	1.08	Sesquiterpene
Cubebol	0.48	Sesquiterpenic alcohol
δ -Cadinene	0.31	Sesquiterpene
10-epi-Cubebol?	0.05	Sesquiterpenic alcohol
(E)- γ -Bisabolene	0.10	Sesquiterpene
α -Cadinene	0.06	Sesquiterpene
α -Elemol	0.08	Sesquiterpenic alcohol
Germacrene B	0.04	Sesquiterpene
Geranyl butyrate	0.06	Monoterpenic ester
Caryophyllene oxide	0.76	Sesquiterpenic ether

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

Caryophyllene oxide isomer	0.04	Sesquiterpenic ether
Humulene epoxide II	0.07	Sesquiterpenic ether
Selin-6-en-4a-ol isomer	0.01	Sesquiterpenic alcohol
1-epi-Cubenol	0.05	Sesquiterpenic alcohol
Cubenol	0.03	Sesquiterpenic alcohol
β-Eudesmol	0.01	Sesquiterpenic alcohol
Farnesal isomer	0.02	Sesquiterpenic aldehyde
(2E,6E)-Farnesal	0.03	Sesquiterpenic aldehyde
meta-Camphorene	tr	Diterpene
Unknown	0.09	Unknown
Dicitral	0.06	Diterpenic aldehyde
Unknown	0.03	Unknown
Unknown	0.02	Unknown
Unknown	0.04	Unknown
Consolidated total	97.72%	


tr: The compound has been detected below 0.005% of total signal.


Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Identification	Column DB-5			Column DB-WAX		
	R.T	R.I	%	R.T	R.I	%
Isovaleral	0.58	639	0.01	0.72	887	0.01
2-Methylbutyral	0.60	651	tr	0.70	879	tr
Hexanal	1.39	804	tr	1.80	1044	tr
4-Heptanone	2.19	871	0.01			
Tricyclene	2.80	918	0.09	1.15	967	0.09
α -Pinene	2.98	930	0.13	1.26	987	0.13
Camphene	3.17	943	0.74	1.59	1023	0.74
Sabinene	3.58*	969	0.01	2.15	1082	0.01
β -Pinene	3.58*	969	[0.01]	1.97	1063	0.01
6-Methyl-5-hepten-2-one	3.83*	986	1.07	4.97	1298	1.07
Dehydro-1,8-cineole	3.83*	986	[1.07]	2.97	1150	0.03
Myrcene	3.91	992	0.06	2.74	1131	0.05
6-Methyl-5-hepten-2-ol	3.96	995	0.05	6.81	1432	0.06
α -Phellandrene	4.07*	1002	0.06	2.64	1123	0.01
Octanal	4.07*	1002	[0.06]	4.30	1249	0.06
α -Terpinene	4.25	1014	0.01	2.81	1136	0.01
para-Cymene	4.35	1020	0.01	3.96	1224	0.01
β -Phellandrene	4.43*†	1025	0.23	3.12	1162	0.02
Limonene	4.43*†	1025	[0.23]	3.03	1154	0.20
1,8-Cineole	4.47†	1027	[0.23]	3.16	1164	tr
Benzeneacetaldehyde	4.61	1036	0.01	8.65	1572	0.02
(Z)- β -Ocimene	4.65	1039	0.26	3.64*	1201	0.26
(E)- β -Ocimene	4.81	1048	0.16	3.84	1216	0.15
2,6-Dimethyl-5-heptenal (melonal)	4.86	1052	0.03	5.16	1311	0.02
γ -Terpinene	4.92	1055	0.01	3.64*	1201	[0.26]
cis-Linalool oxide (fur.)	5.14	1069	0.02	6.42	1403	0.01
4-Nonanone	5.19	1072	0.84	4.84	1288	0.86
Terpinolene	5.38	1084	0.05	4.12	1236	0.04
4-Nonanol	5.49	1092	0.02			
Rosefuran	5.56	1096	0.23	5.87	1363	0.22
Linalool	5.63*	1100	1.06	7.96	1518	1.03
Perillene	5.63*	1100	[1.06]	6.08	1378	0.08
cis-Chrysanthemal?	5.70	1105	0.03	5.92	1366	0.03
Unknown [m/z 81, 79 (19), 41 (12), 92 (8), 77 (8)...]	5.90*	1117	0.03	6.19	1386	0.01
trans-para-Mentha-2,8-dien-1-ol	5.90*	1117	[0.03]	8.76	1581	0.02
Unknown [m/z 81, 70 (98), 67 (63), 82 (53), 41 (46), 69 (46), 109 (43)...]	6.13	1133	0.12	6.68	1423	0.11
Unknown [m/z 95, 67 (86), 41 (68), 82 (64),	6.16	1134	0.02	7.45	1480	0.01

123 (62)...						
trans-Chrysanthemal	6.30*	1144	0.29	7.10	1454	0.25
exo-Isocitral	6.30*	1144	[0.29]	7.37	1474	0.06
Citronellal	6.43	1152	0.25	6.87	1436	0.25
Borneol	6.56	1160	0.18	9.65*	1653	0.33
Isoneral	6.62	1164	0.52	7.73	1501	0.54
Rosefuran oxide	6.75	1173	0.04	8.44	1556	0.05
Terpinen-4-ol	6.77*	1174	0.34	8.48*	1559	0.28
Unknown [m/z 84, 83 (74), 137 (56), 41 (47), 93 (43), 108 (40)... 152 (2)]	6.77*	1174	[0.34]	9.44*	1636	31.61
Unknown [m/z 69, 41 (65), 109 (36), 67 (16), 84 (11), 43 (10), 55 (9) ...]	6.90*	1182	0.80			
Isogeranial	6.90*	1182	[0.80]	8.08	1528	0.79
α-Terpineol	6.98	1188	0.14	9.59	1648	0.27
Myrtenal	7.03	1191	0.07	8.48*	1559	[0.28]
trans-Isopiperitenol	7.12	1197	0.02	10.22*	1700	1.47
Unknown [m/z 84, 41 (83), 83 (79), 91 (76), 93 (67), 119 (64), 137 (63), 109 (54), 108 (54)... 152 (4)]	7.21	1202	0.03			
Decanal	7.26	1206	0.12	7.15	1457	0.11
cis-Isopiperitenol	7.41	1216	0.02	10.22*	1700	[1.47]
2,3-Epoxyneral?	7.50	1223	0.03			
Nerol	7.63	1231	0.04	10.90	1757	0.04
Citronellol	7.69	1235	0.19	10.61	1732	0.14
Neral	7.88	1248	31.69	9.44*	1636	[31.61]
Piperitone	7.94	1253	0.07	9.76*	1662	0.12
Geraniol	8.19	1270	5.84	11.54	1812	5.88
Geranal	8.37	1282	41.41	10.09*	1688	41.37
Unknown [m/z 43, 69 (77), 41 (70), 109 (54)... 152 (6)]	8.41*	1285	0.18	12.88	1932	0.12
Bornyl acetate	8.41*	1285	[0.18]	8.12	1532	0.07
Geranyl formate	8.73	1307	0.04	9.76*	1662	[0.12]
Unknown [m/z 82, 59 (44), 41 (43), 95 (31), 43 (29), 81 (24)...]	9.18	1334	0.10	12.50*	1897	0.13
α-Cubebene	9.34	1346	0.02	6.56	1413	0.02
Citronellyl acetate	9.46	1354	0.07	6.74*	1427	0.13
Cyclosativene I	9.51	1358	0.11	6.73	1426	0.09
Cyclosativene II	9.55	1361	0.11	6.74*	1427	[0.13]
α-Copaene	9.68*†	1370	0.42	7.07	1451	0.01
Geranic acid	9.68*†	1370	[0.42]	16.54	2292	0.35
β-Bourbonene	9.80	1378	0.03	7.28	1467	0.02
Geranyl acetate	9.90*	1386	2.77	10.43	1717	2.73
β-Cubebene	9.90*	1386	[2.77]	7.62*	1492	0.03
β-Elemene	9.94	1388	0.09	8.23	1539	0.10

β-Longipinene	10.01	1393	0.02	7.62*	1492	[0.03]
β-Caryophyllene	10.27	1412	1.61	8.20	1538	1.56
trans-α-Bergamotene	10.56	1434	0.01	8.34	1548	0.04
α-Humulene	10.70*	1444	0.56	9.08	1606	0.23
(E)-Isoeugenol	10.70*	1444	[0.56]	16.38	2275	0.36
Unknown coelution I	10.85*	1456	0.03	8.91	1593	tr
cis-Muurola-4(15),5-diene	10.85*	1456	[0.03]	9.13	1610	0.03
trans-Cadina-1(6),4-diene	11.02	1468	0.04	9.05	1604	0.03
Germacrene D	11.09	1474	0.19	9.65*	1653	[0.33]
γ-Amorphene	11.22	1483	0.03	9.65*	1653	[0.33]
epi-Cubebol	11.30*	1489	0.18	11.82	1836	0.18
α-Selinene	11.30*	1489	[0.18]	9.82	1667	0.02
α-Muurolene	11.40	1496	0.10	10.09*	1688	[41.37]
γ-Cadinene	11.55*	1508	1.55	10.22*	1700	[1.47]
Cubebol	11.55*	1508	[1.55]	12.38	1886	0.48
δ-Cadinene	11.68	1518	0.31	10.22*	1700	[1.47]
10-epi-Cubebol?	11.80*	1528	0.17	13.58	1997	0.05
(E)-γ-Bisabolene	11.80*	1528	[0.17]	10.29	1705	0.10
α-Cadinene	11.85	1532	0.06	10.57	1729	0.04
α-Elemol	12.01	1544	0.08	13.88	2025	0.05
Germacrene B	12.05	1548	0.04	11.03	1767	0.02
Geranyl butyrate	12.22	1561	0.06	11.99	1852	0.06
Caryophyllene oxide	12.37*	1573	0.83	12.58	1905	0.76
Caryophyllene oxide isomer	12.37*	1573	[0.83]	12.50*	1897	[0.13]
Humulene epoxide II	12.70	1598	0.07	13.17	1959	0.07
Selin-6-en-4a-ol isomer	12.87	1612	0.01	14.68	2102	0.03
1-epi-Cubenol	12.97	1620	0.05	13.64	2003	0.03
Cubenol	13.14	1635	0.03	13.48	1987	0.03
β-Eudesmol	13.25	1644	0.01	15.32	2167	0.03
Farnesal isomer	13.97	1703	0.02			
(2E,6E)-Farnesal	14.37	1738	0.03	15.65	2200	0.04
meta-Camphorene	16.73	1951	tr	15.23	2158	0.01
Unknown [m/z 93, 69 (95), 135 (76), 107 (53), 41 (53), 109 (50)... 235 (10...)]	17.94	2070	0.09			
Dicitral	18.26	2101	0.06	16.65	2303	0.06
Unknown [m/z 94, 43 (56), 123 (55), 69 (53), 95 (42), 79 (39...)]	19.45	2225	0.03			
Unknown [m/z 93, 69 (79), 43 (70), 137 (53), 41 (41), 119 (37)... 289 (33...)]	19.56	2236	0.02			
Unknown [m/z 123, 94 (100), 43 (86), 69 (75), 95 (47), 41 (47), 93 (45...)]	19.73	2255	0.04			

Total identified	97.28%	96.76%
Total reported	97.71%	97.01%

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index