

GC/MS BATCH NUMBER: Y20100

ESSENTIAL OIL: YLANG YLANG EXTRA
BOTANICAL NAME: CANANGA ODORATA
ORIGIN: INDONESIA

KEY CONSTITUENTS PRESENT IN THIS BATCH OF YLANG YLANG EXTRA OIL	%
GERMACRENE D	17.4
BENZYL ACETATE	10.6
(E,E)- α -FARNESENE	10.2
LINALOOL	6.8
BENZYL BENZOATE	6.8
p-METHYLANISOLE	5.6
GERANYL ACETATE	5.0
β -CARYOPHYLENE	4.7
(E)-CINNAMYL ACETATE	4.5
BENZYL SALICYLATE	3.9
METHYL BENZOATE	3.6
(2E,6E)-FARNESYL ACETATE	2.6
(2E,6E)-FARNESOL	2.0
α -HUMULENE	1.6
α -CADINOL	1.1
(E)-ISOEUGENOL	1.1
PRENYL ACETATE	1.0

Comments from Robert Tisserand: An unusual and complex Ylang Ylang oil, "extra" quality, with a rich and heady floral tone.

Date : September 11, 2015

SAMPLE IDENTIFICATION

Internal code : 15I03-PTH7-1-HM

Customer identification : Ylang Ylang Extra - Indonesia - Y2010044

Type : Essential Oil

Source : *Cananga odorata*

Customer : Plant Therapy

ANALYSIS

Method : PC-PA-001-15E06, "Analysis of the composition of a liquid essential oil by GC-FID" (in French).
Identifications double-checked by GC-MS.

Analyst : Alexis St-Gelais, M. Sc.

Analysis date : 2015-09-07

IDENTIFIED COMPOUNDS

Identification	Colonne: BP5			Colonne: WAX			Molecular Class
	R.T.	R.I.	%	%	R.I.	R.T.	
Acetone	0.30	484	0.01	0.01	717	0.41	Aliphatic ketone
2-Methyl-3-buten-2-ol	0.42	532	0.05	0.05	1010	1.22	Aliphatic alcohol
Butyl acetate	1.15	781	0.01				Aliphatic ester
Isoamyl acetate	2.18	881	0.02	0.03	1093	1.96	Aliphatic ester
3-Methyl-3-buten-1-yl acetate	2.28	889	0.48	0.61	1163	2.81*	Aliphatic ester
α -Pinene	2.80	926	0.17	0.17	984	1.06	Monoterpene
Prenyl acetate	2.86	929	1.04	1.04	1222	3.58	Aliphatic ester
β -Pinene	3.52	971	0.06	0.06	1063	1.69	Monoterpene
Myrcene	3.82	991	0.04	0.04	1134	2.45	Monoterpene
6-Methyl-5-hepten-2-one	3.90	996	0.03	0.03	1300	4.72	Aliphatic ketone
<i>cis</i> -Hex-3-en-1-yl acetate	4.21	1014	0.10	0.09	1284	4.49	Aliphatic ester
Hexyl acetate	4.34	1021	0.15	0.15	1242	3.88	Aliphatic ester
para-Methylanisole	4.50*	1030	5.76	5.58	1392	6.10	Simple phenolic
1,8-Cineole	4.50*	1030	[5.76]	[0.61]	1163	2.81*	Monoterp. ether
Limonene	4.50*	1030	[5.76]	0.01	1157	2.73	Monoterpene
<i>trans</i> - β -Ocimene	4.84	1049	0.01	0.00	1214	3.47	Monoterpene
Benzyl alcohol	4.99	1058	0.08	0.09	1806	22.95	Simple phenolic
2,3-butanediol diacetate	5.16	1068	0.04				Aliphatic ester
p-Cresol	5.43	1083	0.01				Simple phenolic
Methyl benzoate	5.84	1106	3.61	3.65	1555	10.08	Phenolic ester
Linalool	5.97*	1111	7.11	6.81	1518	8.89	Monoterp. alcohol
Nonanal	5.97*	1111	[7.11]	0.03	1357	5.57	Monoterp. aldehyde
Benzyl acetate	7.37	1175	10.64	10.49	1666	14.71	Phenolic ester
Ethyl benzoate	7.43	1178	0.09				Phenolic ester
Methyl salicylate	7.94	1201	0.12	1.53	1687	15.69*	Phenolic ester
α -Terpineol	8.07	1204	0.10	0.06	1645	13.68	Monoterp. alcohol
Phenylethyl acetate	10.03	1257	0.22	0.12	1743	18.99	Phenolic ester
Geraniol	10.11	1259	0.14	0.29	1804	22.79	Monoterp. alcohol
(<i>E</i>)-Anethole	11.41	1295	0.31	0.31	1749	19.35	Phenylpropanoid
1-Nitro-2-phenylethane	12.34	1313	0.08				Simple phenolic
Thymol	12.81*	1321	0.08	0.04	2137	40.07	Monoterp. alcohol
δ -Elemene	12.81*	1321	[0.08]	0.05	1432	6.88	Sesquiterpene
α -Cubebene	13.36	1331	0.06	0.08	1416	6.56	Sesquiterpene
α -Ylangene	14.41*	1349	0.12	0.06	1428	6.80	Monoterp. ester
Benzyl butyrate	14.41*	1349	[0.12]	0.05	1863	27.07	Phenolic ester
α -Copaene	14.80	1356	0.71	0.68	1439	7.03	Sesquiterpene
Eugenol	15.14	1362	0.03	0.02	2093	38.80	Phenylpropanoid
β -Cubebene	15.66	1371	0.18	0.21	1489	8.07	Sesquiterpene
β -Elemene	15.92	1375	0.23	0.25	1535	9.44	Sesquiterpene
Geranyl acetate	16.56*	1387	4.95	3.73	1714	17.19	Monoterp. ester

β-Caryophyllene	17.36	1401	4.72	4.48	1532	9.35	Sesquiterpene
β-Copaene	18.10	1410	0.16	0.12	1513	8.73	Sesquiterpene
α-Humulene	19.78	1432	1.58	1.67	1597	11.46	Sesquiterpene
(E)-Cinnamyl acetate	21.86*†	1460	24.16	4.52	2069	37.98	Phenylpropanoid ester
(E)-Isoeugenol	21.86*†	1460	[24.16]	1.07	2264	43.35	Phenylpropanoid
Germacrene D	22.11*†	1463	[24.16]	17.38	1636	13.27*	Sesquiterpene
α-Amorphene	22.11*†	1463	[24.16]	0.72	1622	12.59	Sesquiterpene
Bicyclgermacrene	22.94*	1474	0.62	0.40	1652	14.03	Sesquiterpene
γ-Amorphene	22.94*	1474	[0.62]	[1.53]	1687	15.69*	Sesquiterpene
α-Muurolene + δ-Amorphene	23.71*	1484	0.45	0.32	1656	14.20	Sesquiterpene
4-epi-Cubebol	23.71*	1484	[0.45]	0.05	1815	23.60	Sesquiterp. alcohol
γ-Cadinene	24.63	1496	0.35	0.39	1679	15.32	Sesquiterpene
(E,E)-α-Farnesene	25.41*	1506	10.98	10.16	1712	17.06*	Sesquiterpene
δ-Cadinene	25.41*	1506	[10.98]	[1.53]	1687	15.69*	Sesquiterpene
trans-Calamenene	25.72	1509	0.03	0.03	1746	19.16	Sesquiterpene
α-Cadinene	26.03	1513	0.04	[10.16]	1712	17.06*	Sesquiterpene
Eugenyl acetate	27.68	1533	0.05	0.04	2187	41.44	Phenylpropanoid ester
Caryophyllene oxide	29.91*	1559	0.13	0.16	1858	26.74	Sesquiterp. ether
Spathulenol	29.91*	1559	[0.13]	0.02	2033	36.70	Sesquiterp. alcohol
Guaiol	32.31	1588	0.12	0.21	2016	36.13	Sesquiterp. alcohol
Junenol	32.96	1596	0.10	0.13	1944	32.34	Sesquiterp. alcohol
1,10-diepi-Cubenol	33.67	1608	0.06	0.09	1962	33.38	Sesquiterp. alcohol
τ-Cadinol	35.11	1637	0.24	0.38	2086	38.58	Sesquiterp. alcohol
τ-Muurolol	35.24	1640	0.57	0.49	2100	39.06	Sesquiterp. alcohol
α-Muurolol	35.39	1643	0.20	0.32	2117	39.53	Sesquiterp. alcohol
α-Cadinol	35.79	1651	1.14	1.13	2144	40.28	Sesquiterp. alcohol
(2E,6E)-Farnesol	38.88	1722	1.98	1.67	2307	44.35	Sesquiterp. alcohol
α-Sinensal	39.82	1750	0.04				Sesquiterp. aldehyde
Benzyl benzoate	40.58	1772	6.80	6.75	2511	48.65	Phenolic ester
(2E,6E)-Farnesyl acetate	42.60	1838	2.60	2.50	2210	42.06	Sesquiterp. ester
Benzyl salicylate	43.54	1871	3.89	3.92	2647	51.41	Phenolic ester
Total identified			97.85%	95.54%			

*: Two or more compounds are coeluting on this column

†: The peak apexes were resolved, but the peaks partly coeluted and were summed for analysis

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

Note: no correction factor was applied

OTHER DATA

Physical aspect : Light yellow liquid

Refractive index : 1.5060 ± 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent were detected using this method. This includes the peculiar but natural compounds p-cresol and 1-nitro-2-phenylethane.

Checked and approved by :



Alexis St-Gelais, M. Sc., chimiste 2013-174

Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.

This report is digitally signed, it is only considered valid if the digital signature is intact.



